



PET DIAGNOSTIK
BERN



PSMA-PET/CT
for prostate cancer

www.petdiagnostik.ch



Dear Patient

On behalf of the PET Diagnostik Bern AG, we would like to welcome you to the Inselspital Bern.

You have been referred to the Department of Nuclear Medicine for an outpatient nuclear medical procedure. This information leaflet contains further details on the examination procedure.



General Information


Nuclear medicine involves the use of low-level radioactive substances to diagnose and treat various diseases. These substances are usually injected into a vein and transported via the blood stream to the respective organs or their cells. Using PET/CT scanners, the distribution of the radioactive substances in the body can be examined and pathological changes can be visualized precisely.

Purpose of the examination

The PET/CT examination serves to detect or evaluate various diseases (e.g. cancer, inflammation, heart muscle damage or brain disorders) and involves two examinations, PET and CT, which are performed simultaneously.

During a PSMA-PET/CT, a low-level radioactive PSMA ligand is injected into the bloodstream and binds to the prostate-specific membrane antigen (PSMA). PSMA is a structure which is frequently present in large quantities on the surface of prostate cancer cells.

Following the injection of the low-level radioactive ligands, a PET scan is used to determine their uptake in prostate cancer cells, and in combination with CT, localise them in the body.



Preparation for the examination

No specific preparation is required for a PS-MA-PET/CT. You do not need to fast or omit any medication prior to the examination.

If you suffer from claustrophobia, we can provide you with a sedative to help you relax prior to the PET/CT scan. Please ask us about this once you arrive at the clinic. After taking this medication, you should not drive a car for the rest of the day. Ideally, you should have someone accompanying you who can pick you up after the examination.

Where does the examination take place?

On the date of your appointment, you should come to the Department of Nuclear Medicine in the building INO, Level B of the Inselspital:

PET Diagnostik Bern AG
c/o University Hospital for Nuclear Medicine
Inselspital, Bern University Hospital
Entrance 33, INO Level B

To get to the Department of Nuclear Medicine, please enter the Inselspital through the main entrance (Entrance 33). From there, follow the red line from the main entrance to the elevators (red dot No. 5). Take the elevator to Level B and then continue to follow the red line to the red dot No. 8. Please register at the reception at the Department of Nuclear Medicine.

Please bring your health insurance card with you to the appointment.



Examination procedure

First, a weak radioactive PSMA ligand will be injected into a vein in the arm. As this solution needs a certain amount of time to disperse in the body, the scan is not performed directly afterwards. The waiting time until the examination is approximately two hours. During the first 90 minutes, you can leave the department; following this, you will be asked to wait in the PETCT waiting room and be given 1 litre of water to drink over the remaining 30 minutes to remove any excess amounts of the substance from the urinary tract and bladder.

At the beginning of the examination, you will be positioned as comfortably as possible on the examination table. During the examination, which takes between 15-25 minutes, the examination table may move slightly. In order to obtain the best quality images, you will need to remain still during the procedure. An intercom allows you to communicate with our staff at any time during the scan.

The above procedure can vary slightly, depending on the reason for the examination. For example, it may be necessary to inject contrast material or to perform additional scans. On the day of the examination, our staff will inform you about the exact details of the procedure.

Risks and side effects

There are no known side effects from the substances used for PET examination. No allergic reactions are to be expected.

If you have a known allergy to contrast medium, please inform our staff accordingly. In this case, we would advise you against travelling alone by car to the appointment, as you may receive medication prior to the procedure which can impair your ability to drive.

Exposure to radiation

The radiation exposure from the PET/CT examination is approximately equivalent to 2–3 times the annual natural exposure to radiation in Switzerland.

After the examination

- On the day of the examination you should avoid prolonged close contact with children under 16 years of age and pregnant women for a 12-hour period.
- Drinking plenty of fluids and frequent urination helps to flush the radioactive substances out of your body and reduce the exposure to radiation.
- Following the examination, you can carry out all further activities without any restrictions.

Contact

If you have any further questions, please do not hesitate to contact us at 031 632 24 24. Additional information is also available on our website at www.petdiagnostik.ch.

PET Diagnostik Bern AG
c/o University Hospital for Nuclear Medicine
Inselspital, Bern University Hospital
Freiburgstrasse 18
3010 Bern
P 031 632 24 24
F 031 632 17 54
petdiagnostik@insel.ch

Please note the following

The radioactive tracer is prepared individually for each patient in advance. If you need to cancel your appointment, please inform us at least 48 hours before your appointment (031 632 24 24).

Failing this, we reserve the right to invoice you for the costs incurred (approx. CHF 1500.-).

As some time is needed for the assessment and interpretation of the images, we are unable to provide you with the results immediately after the examination. The examination report and the images will be sent to your referring physician.